

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... NOV 19 1975

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... NOV 19 1975 under 29774

The applicant Dexter Robertson  
% Boyack Surveying, Inc.  
582½ West Cedar St., of Elko,  
Street and No. or P.O. Box No. City or Town  
Nevada 89801, hereby make application for permission to appropriate the public  
State and Zip Code No.  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground well CV #7  
Name of stream, lake or other source.
2. The amount of water applied for is 6 second-feet  
One second-foot equals 448.83 gals. per min.  
(a) If stored in reservoir give number of acre-feet..... acre-feet
3. The water to be used for irrigation and domestic  
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
  - (a) Irrigation (state number of acres to be irrigated)..... 640
  - (b) Stockwater (state number and kinds of animals to be watered).....
  - (c) Other use (describe fully under "No. 12. Remarks").....
  - (d) Power:
    - (1) Horsepower developed.....
    - (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: NW¼ SE¼ Section 23, T 29 N,  
R 49 E, MDM, at a point from which the SE corner of said Section 23  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
bears S 45° 00' 00" E 3700.00 feet.  
it should be stated.
6. Place of use All of Section 23, T 29 N, R 49 E, MDM.  
Describe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about March 1 and end about November 1, of each year.  
Day and Month Day and Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Underground well and sprinkler system.  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$10,000
10. Estimated time required to construct works.....2 yrs.
11. Estimated time required to complete the application to beneficial use.....3 yrs.
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Applicant Dexter Robertson

By s/ Alan S. Boyack  
Alan S. Boyack-Boyack Surveying, Inc.  
582½ West Cedar St.  
Elko, Nevada 89801

Compared lk/ns

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....  
Completion of work filed.....  
Proof of beneficial use filed.....  
Cultural map filed.....  
Certificate No.....Issued.....  
Recorded.....Bk.....Page.....  
County Recorder

IN TESTIMONY WHEREOF, I.....  
State Engineer of Nevada, have hereunto set my hand and the seal of  
my office, this.....day of.....

A.D. 19.....

WITHDRAWN BY APPLICANT.....MAR 31 1978.....State Engineer

Alan S. Boyack  
STATE ENGINEER